US ISSN 0046 225X

ENVIRONMENTAL ENTOMOLOGY



Published by the Entomological Society of America

Volume 26, 1997

1–1516

Environmental Entomology **Volume 26**

KAREN M. CLANCY
TIMOTHY LYSYK
JESSE A. LOGAN
FRANK J. MESSINA
Co–Editors

EDWARD L. VARGO
Associate Editor

RICHARD ZACK
Book and Media Review Editor

RAYMOND L. EVERNGAM, JR.
Assistant Director of Communications

MAGGIE A. MEITZLER
RICHARD H. FOOTE
Manuscript Editors

EDITORIAL BOARD

J. R. FUXA, *Chair*
Baton Rouge, LA
Section C, 1997

P. H. ADLER
Clemson, SC
Section A, 1997

D. W. WATSON
Ithaca, NY
Section D, 1998

O. ADEYEYE
Pittsburg, PA
Section B, 1999

D. M. NOETZEL
St. Paul, MN
Section E, 2000

M. J. WEISS
Fargo, ND
Section F, 2001

GOVERNING BOARD

D. L. DAHLMAN
Lexington, KY
President

M. B. STOETZEL
Beltsville, MD
Past President

G. G. KENNEDY
Raleigh, NC
President–Elect

S. S. QUISENBERRY
Lincoln, NE
Secretary–Treasurer

K. S. SHIELDS
Hamden, CT
Eastern Branch

L. L. LARSON
Indianapolis, IN
North Central Branch

M. W. JOHNSON
Honolulu, HI
Pacific Branch

D. J. BOETHEL
Baton Rouge, LA
Southeastern Branch

J. E. GEORGE
Kerrville, TX
Southwestern Branch

M. A. IVIE
Bozeman, MT
Section A

N. E. BECKAGE
Riverside, CA
Section B

T. O. HOLTZER
Ft. Collins, CO
Section C

C. L. MEEK
Baton Rouge, LA
Section D

D. C. CRESS
Manhattan, KS
Section E

C. M. SMITH
Manhattan, KS
Section F

H. A. BRADLEY
Lanham, MD
Executive Director

© 1997, Entomological Society of America

Environmental Entomology (US ISSN 0046-225X) is published bimonthly (February, April, June, August, October, and December) by the Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706–3115; (301) 731-4535; FAX (301) 731-4538. The journal is printed by Cadmus Journal Services, 2905 Byrdhill Road, Richmond, VA 23228. Periodicals postage is paid at Lanham, MD, and at additional mailing offices.

Postmaster: Send change of address forms to *Environmental Entomology*, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115.

Inquiries regarding content, subscriptions, advertising, availability of back issues, change of address, general business matters, and manuscripts should be sent to the Publications Office, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115. For information about the preparation of manuscripts, authors are urged to consult "Information for Contributors," which is printed on the inside back cover of most issues, or our *Publishing with ESA Style Guide*, located on the ESA website at http://www.entsoc.org.

Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute an endorsement or recommendation for its use. Authors are entirely responsible for statements made, whether of fact or opinion. Registered names and trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

Photocopies. Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee of $2.00 per copy is paid directly to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Individuals may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Subscriptions. 1997 prices: members, $75; nonmember individuals, $95; institutions, $150. To the above add $20 for shipping outside the continental United States. Send payment to Annals Subscriptions, ESA, P.O. Box 177, Hyattsville, MD 20781. Inquiries should be directed to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115; (301) 731-4535; FAX (301) 731-4538.

Back Issues	ESA member domestic	ESA member foreign	Non-member domestic	Non-member foreign
Single Issue	$10.40	$11.40	$34.00	$35.00
Volume	62.40	68.40	204.00	210.00

All prices include handling and shipping by surface mail. For a list of available issues, write to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115. Back volumes are available in microform from University Microfilms International, 300 North Zeeb Road, Ann Arbor, MI 48106.

CUMULATIVE AUTHOR INDEX
Environmental Entomology
Volume 26, 1997

A

Abou-Fakhr, E. M., 285
Adda, C., 1405
Addison, P. J., 416
Alfaro, R. I., 888
Allen, J. C., 473, 603
Allison, D., 1299
Annan, I. B., 250
Arredondo-Jiminez, J. I., 828
Augustin, S., 1327
Avdiushko, S. A., 642
Avilla, C., 537
Ayyappath, R., 489
Azoma, B., 1405

B

Balciunas, J. K., 366
Banks, W. A., 1143
Barker, G. M., 416, 694
Barney, R. J., 229
Barratt, B. I. P., 694
Batzer, D. P., 215, 1016
Bauce, E., 305
Baumgarten, K. H., 1167
Bent, E. D., 1424
Bentz, J., 1066, 1091
Ben-Yakir, D., 1040, 1073
Berdegue, M., 912
Bergh, J. C., 256
Bernklau, E. J., 285, 1136
Berry, R. E., 465
Bjostad, L. B., 285, 1136
Bledsoe, L. W., 1336
Blossey, B., 439
Blua, M. J., 241
Blue, D., 1009
Boetel, M. A., 1208
Boeve, P. J., 1336
Boll, R., 736
Borden, J. H., 624
Borgemeister, C., 1405
Boydston, L., 1299
Brazzle, J. R., 995
Brewer, M. J., 591
Brewster, C. C., 473, 603
Briano, J. A., 1143
Broce, A. B., 1124
Brown, G. C., 642
Brown, J. L., 1475
Brown, S. C., 1016
Brunner, J. F., 1475
Brust, G. E., 580, 849, 1323
Buhler, W., 1323
Burks, C. S., 1124
Butler, L., 1009
Butts, R. A., 661
Byers, M. E., 334

C

Caillaud, C. M., 638
Calcaterra, L. A., 1143
Callan, N. W., 1131
Calvin, D. D., 385
Cameron, E. A., 566
Caprio, L. C., 1291
Cardé R. T., 1105
Cardenas, F. A., 131
Carrillo, T., 1004
Carroll, S. C., 135
Casalinuovo, M. A., 343
Chaubet, B., 638
Chen, K., 866
Chen, M., 1040, 1073
Chenault, J., 1327
Chessman, D. J., 966
Chilcutt, C. F., 38
Chippendale, G. M., 1486
Ciomperlik, M. A., 1049
Clancy, K. M., 1327
Clark, M. S., 519
Clements, D. J., 1482
Cloutier, C., 946
Cochran, D. G., 1441, 1458
Coderre, D., 21
Coggins, M. L., 745
Cohen, A. C., 559
Collar, J. L., 537
Colunga-Garcia, M., 797
Cook, J. L., 1258
Cordo, H. A., 191
Cortesero, A. M., 617, 1025
Costello, M. J., 142
Creach, V., 545
Croft, B. A., 391, 859
Crossley, Jr., D. A., 31, 1232

D

Daane, K. M., 142, 455
Dahlman, D. L., 642
Dall'Aglio-Holvorcem, C. G., 716
Danis-Lozano, R., 828
De Farias, A. M. I., 987
De Moraes, C. M., 617
De Szalay, F., 215
Debouzie, D., 163
Dedryver, C. A., 545
Degbey, P., 1405
Dhileepan, K., 318
Di Pietro, J. P., 638
Diehl, J. W., 777
Dill, N. H., 1442
Djomamou, B., 1405
Djossou, F., 1405
Dobyns, J. R., 150
Dowhower, S. L., 528
Dyer, L. E., 924, 1385

E

Ebbett, R. H., 1458
Edwards, C. R., 1336
Ehresman, N. P., 678
Elkinton, J. S., 655
Ellington, J., 1004
Elliott, N. C., 4
Ellsworth, P. C., 777
England, S., 1437
Escudero, F., 1373
Esquivel, J. F., 12
Evans, A. A., 694
Evans, E. W., 1437

Eyster, R. S., 12

F

Färbert, A., 1105
Färbert, P., 1105
Fan, Y., 1
Farrar, Jr., R. R., 1461
Fereres, A., 537
Ferguson, G. M., 694
Fernandes, O. A., 1167
Ferro, D. N., 655
Fisher, J. R., 906
Fitzpatrick, S. M., 170
Flinn, P. W., 1213
Fornasari, L., 349
Foster, R. E., 1323
Fowler, H. G., 373
Frampton, E. R., 1433
Franco, E., 736
Frank, J. H., 1240
French, W. B., 4
Fuchs, T. W., 135
Fujii, H., 201
Fuller, B. W., 1208
Furniss, M. M., 855
Fuxa, J. R., 973

G

Gage, S. H., 519, 797
Garcia, C., 955, 1470
Gaul, S. O., 1424
Ge, X. 229
Georghiou, G. P., 1471
Geria, A. M., 736
Gerling, D., 815
Gianoli, E., 638
Gilbert, L. E., 716, 1149
Gillespie, R., 1299
Goettel, M. S., 400
Gold, R. E., 1258
Good, W. R., 1131
Gorski, P. M., 672, 678, 1364
Got, B., 46
Gould, F., 67
Grace, J. K., 632
Graf, G., 1299
Grafius, E., 114
Grafton-Cardwell, E. E., 121
Gross, Jr., H. R., 265
Groth, E., 465
Gutierrez, A. P., 84

H

Hérard, F., 933
Hagler, J. R., 1079
Hagstrum, D. W., 1124, 1213
Hamilton-Kemp, T. R., 334
Hammack, L., 311
Hampton, K. E., 1124
Han, E.-R., 305
Harari, A. R., 1040, 1073
Hardman, J. M., 1424
Harris, M. O., 327, 1247
He, F., 888
Heinz, K. M., 995
Hendrix, P. F., 31
Hernandez-Avila, M., 828
Hibbard, B. E., 285, 1136
Higley, L. G., 489
Hildebrand, D. F., 642
Hoffman, G. D., 91
Hoffmann, D. F., 131
Hofstetter, R. W., 1276
Holyoak, M., 1283
Hopper, K. R., 866, 987, 1416
Horak, M. J., 966
Hu, G. Y., 1240
Huignard, J. 1025
Hunt, D. W. A., 91

I

Idris, A. B., 114
Ignoffo, C. M., 955, 1470
Inglis, G. D., 400
Israely, N., 1263

J

Jackson, D. M., 101
Jennings, D. T., 507
Johnsen, S., 84
Johnson, D. L., 400
Johnson, M. T., 207
Johnson, S. J., 973
Johnston, J. S., 1258
Jones, C. J., 421
Jones, P., 366
Jones, T. A., 1398
Jones, V. P., 1291

K

Kaitaniemi, P., 1096
Kapatos, E. T., 1202
Karg, G., 896
Kazmer, D. J., 1452
Kennedy, G. G., 67
Khanizadeh, S., 920
Kida, Y., 201
Kim, N., 1117
Kim, Y., 1117
King, B. H., 410
King, R. L., 433
Kitron, U., 1263
Kleintjes, P. K., 1393
Kmec, P., 483
Knapp, M. C., 385
Knorr, C., 668
Koch, U. T., 1105
Kohama, T., 272
Kok, L. T., 876, 1354
Kondo, V., 1009
Koubaiti, K., 1025
Koyanagi, H., 572
Kozlov, M. V., 1361
Krasnov, B., 178
Kravchenko, V., 815
Krespi, L., 545
Kruse, J. J., 1155
Kukan, B., 882

L

López, R., 655
Labatte, J. M., 46
Lacey, L. A., 1452
LaChance, S., 946
Landis, D. A., 433, 745, 754, 797, 924, 1385
Lapchin, L., 736
Lawson, D. S., 684, 1450
Layne, Jr., J. R., 1378
Lazare, M., 815
Le Ralec, A., 545
Leclant, F., 1452

Lerin, J., 1025
Leskey, T. C., 566
Lewis, L. C., 446
Lewis, D. J., 920, 1087
Lewis, W. J., 265, 617
Li, S. Y., 170
Lincoln, D. E., 1312
Lindroth, R. L., 668
Lingren, P. D., 12
Liu, J., 465
Liu, N., 1478
Lockwood, J. A., 1056, 1343
Logarzo, G. A., 343
Long, G. E., 61
Lopez, Jr., J. D., 12
Losey, J. E., 385
Loughrin, J. H., 334
Lu, W., 67
Luttrell, R. G., 939

M

Madie, C., 1247
Maindonald, J. H., 277
Mallorca, C., 828
Manel, S., 163
Mangan, R. L., 1433
Manley, G. V., 433
Margolies, D. C., 223
Markham, R. H., 1405
Marti, Jr., O. G., 585
Martin, C., 1445
Mascarenhas, R. N., 76
Mascarenhas, V. J., 939
Mason, C. E., 678, 983
Mason, P. G., 1416
Mason, R. R., 507
Masumoto, T., 572
Mathews, P. L., 961
Matis, J. H., 12
Mayo, Z. B., 1167
Mays, W. T., 1354
McCoy, C. W., 256
McDonald, R. S., 624
McKillip, J. L., 1479
McKoy, C. W., 1173
McLaughlin, J. M., 1442,
McNeill, M. R., 694
Medwith, R. E., 1378
Mercadier Remi Debire, G., 1452
Mesquita, A. L. M., 1452
Messina, F. J., 1398
Michels, Jr., G. J., 4
Migeon, A., 46
Milks, M. L., 839
Miller, J. R., 754
Miller, T., 1299
Miyatake, T., 272
Monge, J. P.., 1025
Montandon, R., 528
Moreno, D. S., 1433
Moriya, S., 272
Morrison, L. W., 716, 1149
Munyaneza, J., 1270
Mutch, D. R., 433
Muzika, R. M., 497
Myers, J. H., 882

N

Naranjo, S. E., 777
Neal, Jr., J. W., 1066
Nechols, J. R., 223, 966
Nenon, J. P., 545
Nestel, D., 1263
Newlon, C. J., 1442
Nielson, D. C., 1398
Niemeyer, H. M., 638
Nilssen, A. C., 296
Nomakuchi, S., 572
Numata, H., 201
Nyrop, J. P., 684

O

O'Connor, G. M., 277
O'Neil, R. J., 1183
O'Neill, K. M., 789, 1224
Obrycki, J. J., 446, 1270
Okuda, N., 572
Orr, D. B., 433
Oswald II, C. J., 591
Ouyang, Y., 121

P

Palumbo, J. C., 241
Paquin, P., 21
Parajulee, M. N., 135, 528
Parrella, M. P., 995
Pasteur, N., 1445
Patterson, R. S., 373, 1143
Paul, H. G., 507
Peng, F., 973
Perez, C. J., 1462
Pesek, J. D., 1364
Pesek, Jr., J. D., 983
Petitt, F. L., 1
Phillips, C. B., 694
Pike, K. S., 1299
Pilcher, C. D., 446
Pinchak, W. E., 528
Piry, S., 46
Pitre, H. N., 76
Porter, E. E., 234
Porter, S. D., 373
Poston, F. L., 385
Potter, D. A., 334
Prévost, G., 933
Prokopy, R. J., 763
Purcell, M. F., 366
Puterka, G. J., 553

Q

Quintela, E. D., 1173

R

Rabasse, J. M., 545
Raffa, K. F., 91, 1155, 1276
Raina, A. K., 101
Randolph, T. L., 285, 1136
Rau, M. E., 920, 1087
Raulston, J. R., 12
Redak, R. A., 234
Reissig, W. H., 684, 1450
Resh, V. H., 215
Reynolds, B. C., 1232
Rice, M. E., 446
Richter, A. R., 973
Ridgway, R. L., 1461
Riley, D. G., 1049
Rochat, J., 736
Roda, A. L., 745, 754
Rodriguez, M. H., 828
Rogers, C. E., 585
Rogers, M. L., 1424
Romero, R. L., 4

Rosen, D., 1040, 1073
Ross, M. H., 1482
Roth, S., 668
Roush, R. T., 1462
Ruano, F., 1373
Ruberson, J. R., 265
Rufingier, C., 1445
Rummel, D. R., 135
Ruohomäki, K., 1096
Ryan, R. B., 703

S

Saathoff, S. G., 1470
Sadof, C. S., 978
Sahinoglou, A., 1202
Salom, S. M., 91
Sammons, A. E., 1336
Sanchez Piñero, F., 805
Sandridge, P. T., 1442
Sawada, K., 572
Schaalje, G. B., 661
Schaefers, G. A., 250
Schat, M., 439
Schell, S. P., 1056, 1343
Schleider, P. G., 12
Schneider, H., 1405
Schoen, L., 1445
Schreiber, F. E., 131
Schuster, D. J., 603
Schwarzlaender, M., 357
Scott, J. G., 1478
Selikhovkin, A. V., 1361
Severson, R. F., 101
Shelton, A. M., 1462
Shelton, T. G., 632
Shenbrot, G., 178
Shimoji, Y., 272
Shiotsu, Y., 572
Shipp, J. L., 106
Sigmond, J. O. D., 1442
Slone, D. H., 391, 859
Slosser, J. E., 135, 528
Small, C. L., 1475
Smith, C. M., 1450
Smith, K., 1016
Southward, M., 1004
Spence, J. R., 519
Spence, K. D., 1475
Spring, A., 876
Stansly, P. A., 603
Stapel, J. O., 265, 617
Stary, P., 1299
Staten, R. T., 1105
Stephen, F. M., 961
Stiefel, V. L., 223
Story, J. M., 1131
Strain, B. R., 1312
Stratopoulou, E.T., 1202
Streett, D. A., 789, 1224
Striggow, R. A., 121
Strong, W. B., 859
Stuart, J. J., 1336
Stuby, S. A., 433
Stull, J., 678
Subramanyam, B. H., 1213
Suckling, D. M., 896
Sugiura, N., 572
Suzuki, N., 572

T

Tabashnik, B. E., 38
Tallamy, D. W., 672, 678, 1364
Tammaru, T., 1096
Tang, R., 559
Taylor, P. B., 1442
Tebbets, J. S., 131
Teulon, D. A. J., 566
Thomas, D. B., 1433
Thomas, R. B., 1312
Tinaut, A., 1373
Tingey, W. M. , 250
Tome, C. H. M., 1291
Toscano, N. C., 241
Townsend, A. M., 1091
Trichilo, P. J., 135
Trisyono, A., 1486
Trumble, J. T., 912
Tumlinson, J. H., 617
Twery, M. J., 497

U

Udayagiri, S., 983

V

Vail, P. V., 131
Van Houten, Y. M., 106
Vinson, S. B., 1258
Virtanen, T., 1096

W

Wagner, M. R., 1327
Walsh, G. C., 191
Weinzierl, R. A., 421
Weiss, M. J., 483
Westbrook, J. K., 12
Weston, P. A., 229
White, K. K., 912
Whiting, D. C., 277
Wickman, B. E., 507
Williams, D. F., 373, 1143
Williams, R. S., 1312
Wilson, L. T., 135, 1191
Wirth, M. C., 1471
Wisniewska, J., 763
Withers, T. M., 327, 1247
Witkowski, J. F., 489
Wojcik, D. P., 1143
Wolf, W. W., 12
Woods, S. A., 789, 1224
Wright, R. J., 1167
Wu, G. W., 1191

X

Xu, G., 61

Y

Yang, J., 978
Yates Blumberg, A. J., 31
Yeargan, K. V., 1482
Yee, W. L., 241
Yela, J. L., 1283
Yokota, G. Y., 455
Yoshida, H. A., 241
Yuval, B., 1263

Z

Zahiri, N., 920, 1087
Zehnder, G. W., 728

CUMULATIVE SUBJECT INDEX
Environmental Entomology
Volume 26, 1997

A

Abies balsamea,
  Mindarus abietinus, 1393
  predators, 1393
abundance,
  aphid parasitoid, 1299
  diversity, 1299
Acalymma vittatum,
  bacterial wilt, 580
  cucurbits, 580
Acalymma vittatum,
  Cucurbitacins, 672
  striped cucumber beetle, 672
Acer saccharum,
  pollen, 566
  Taeniothrips inconsequens, 566
Acer spp.,
  aggregation, 334
  Popillia japonica, 334
Acremonium lolii,
  Listronotus bonariensis, 416
  Microctonus hyperodae, 416
Acrididae,
  coprophagy, 1224
  rubidium, 1224
adaptation to tomato,
  Leptinotarsa decemlineata, 67
  Lycopersicon esculentum, 67
Aedes aegypti,
  conspecific, 1087
  oviposition, 920, 1087
  Plagiorchis elegans, 920
Ageneotettix deorum,
  Aulocara elliotti, 906
  diapause, 906
aggregation,
  Acer spp., 334
  Popillia japonica, 334
agonism,
  Coptotermes formosanus, 632
  termite behavior, 632
agriculture,
  Carabidae, 519
  ground beetles, 519
agroecosystems,
  Coccinellidae, 797
  habitat diversity, 797
alfalfa weevil,
  Bathyplectes curculionis, 1437
  biological control, 1437
alfalfa,
  Empoasca fabae, 745
  intercropping, 745
  population ecology, 241
  whitefly, 241
allelochemicals,
  beet armyworm, 912
  behavior, 912
Allium,
  Delia antiqua, 624
  host-finding, 624
Amblyseius andersoni,
  Panonychus ulmi, 391
  Typhlodromus pyri, 391
Amblyseius cucumeris,
  temperature, 106
  vapor pressure deficit, 106
Angoumois grain moth,
  maize, 229
  movement, 229
Anopheles albimanus,
  aquatic insects, 828
  larval predators, 828
Anthocharis scolymus,
  eclosion, 572
  pierid butterfly, 572
Anticarsia gemmatalis,
  biological control, 973
  nuclear polyhedrosis virus, 973
antifeedant,
  antiovipositant, 678
  Cucurbitacins, 678
antiovipositant,
  antifeedant, 678
  Cucurbitacins, 678
Apbhidophagous,
  coccinellidae, 4
  sampling, 4
Aphelinus asychis,
  biological control, 1416
  foraging behavior, 1452
  interaction, 1452
  walking speed, 1416
aphid parasitoid,

aphid parasitoid, *(continued)*
abundance, 1299
diversity, 1299
Aphidius rhopalosiphi,
hyperparasitoids, 545
overwintering, 545
Aphis craccivora,
population dynamics, 250
Vigna unguiculata, 250
Aphis gossypii,
Lysiphlebus testaceipes, 736
sampling, 736
Appalachian spiders,
richness estimation, 150
sampling intensity, 150
apple orchards,
Araneae, 763
insecticides, 763
apple,
Choristoneura rosaceana, 684
Trichogramma spp., 684
aquatic insects,
Anopheles albimanus, 828
larval predators, 828
aquatic,
Chironomidae, 215
colonization, 215
Araneae,
apple orchards, 763
arboreal spiders, 507
Christoneura occidentalis, 507
family abundance, 497
ground-dwelling spiders, 497
insecticides, 763
arboreal spiders,
Araneae, 507
Christoneura occidentalis, 507
arthropod(s),
cotton, 1004
gypsy moth, 1009
nitrogen, 31
predation, 1004
tebufenozide, 1009
tillage, 31
augmentation,
Chrysoperla spp., 455
Erythroneura spp., 455
Aulocara elliotti,
Ageneotettix deorum, 906
diapause, 906
Autographa californica,
baculovirus, 955
recombinants, 955
azalea lace bug,
egg hydration, 1066
egg measurement, 1066

B

Bacillus thuringiensis,
bollworm, 939
Cotesia plutellae, 38
natural enemies, 939
Plutella xylostella, 38
bacterial wilt,
Acalymma vittatum, 580
cantaloupe, 849
Cucumis melo, 849
cucurbits, 580
Baculovirus heliothis,
Helicoverpa zea, 1470
nuclear polyhedrosis virus, 1470
baculovirus(es),
Autographa californica, 955
celery looper, 131
navel orangeworm, 131
recombinants, 955
bait traps,
flight activity, 1283
light traps, 1283
Baris coerulescens,
modeling, 1031
temperature, 1031
Bathyplectes curculionis,
alfalfa weevil, 1437
biological control, 1437
Beauveria bassiana,
Diaprepes abbreviatus, 1173
grasshoppers, 400
light, 400
Metarhizium anisopliae, 1173
beet armyworm,
allelochemicals, 912
behavior, 912
behavior,
allelochemicals, 912
beet armyworm, 912

Caenocholax fenyesi, 1258
citrus mealybug, 978
cucurbitacins, 1364
distribution, 1258
Empoasca fabae, 754
intercropping, 754
life history, 978
semiochemical baits, 1364
Bemisia,
Chrysoperla, 815
predators, 815
Bemisia argentifolii,
Bermisia tabaci, 603, 777
Encarsia, 1049
management, 995
sampling, 777, 995, 1049
silverleaf whitefly, 603
Bemisia tabaci,
Bemisia argentofolii, 603, 777
sampling, 777
silverleaf whitefly, 603
bioassays,
pyrethroid resistance, 1424
Typhlodromus pyri, 1424
biocontrol,
filth flies, 421
manure ecology, 191
parasitoid, 421
pest flies, 191
Philonthini, 191
Pseudacteon, 716
Solenopsis, 716
bioenergetics,
Eurosta solidaginis, 1378
lipid content, 1378
biological control, 349
alfalfa weevil, 1437
Anticarsia gemmatalis, 973
Aphelinus asychis, 1416
Bathyplectes curculionis, 1437
Coleophora laricella, 703
conservation, 1385
Cotesia melanoscela, 668
Cynoglossum officinale, 357
Dendroctonus frontalis, 961
Diuraphis noxia, 866, 989, 1398
Ectoparasitoid, 1025
Eriborus terebrans, 924
exotic species, 373
field bindweed, 966
host location, 1025
imported fire ants, 1143
intercrops, 433
invasions, 373
ladybird beetle, 1398
Lymantria dispar, 668
Metzneria paucipunctella, 1131
Microtonus, 694
Mogulones cruciger, 357
Neoseiulus fallacis, 859
nontarget host range, 694
nuclear polyhedrosis virus, 973
odor, 989
Ostrinia nubilalis, 924
parasitoid, 961
parasitoid behavior, 1385
population dynamics, 703
predators, 866
Prostephanus truncatus, 1405
Pseudacteon, 1149
Solenopsis daguerrei, 1143
Solenopsis, 1149
supercooling, 1131
Tamarix, 349
Teretriosoma nigrescens, 1405
Tetranychus urticae, 859
Trichogramma brassicae, 433
Tyta luctuosa, 966
walking speed, 1416
Zea mays, 433
biological weed control,
herbivory, 439
Lythrum salicaria, 439
biology,
Cotesia orobenae, 1354
Evergestis rimosalis, 1354
boll weevil,
insulating value, 135
overwintering habitats, 135
bollworm,
Bacillus thuringiensis, 939
natural enemies, 939
Boreioglycaspis melaleucae,
classical biological control, 366
Melaleuca quinquenervia, 366
Brassicaceae,

Brassicaceae, (continued)
Diadegma insulare, 114
nectar-collecting behavior, 114

C

C_6-aldehydes,
cabbage, 642
Lepidoptera, 642
cabbage,
C_6-aldehydes, 642
Lepidoptera, 642
Caenocholax fenyesi,
behavior, 1258
distribution, 1258
California grasslands,
Melanoplus sanguinipes, 234
Nasella pulchra, 234
Campoletis sonorensis,
Cardiochiles nigriceps 207
Heliothis virescens, 207
cannibalism,
grasshoppers, 789
rubidium, 789
cantaloupe,
bacterial wilt, 849
Cucumis melo, 849
Carabidae,
behavior, 1258
ground beetles, 519
Cardiochiles nigriceps
Campoletis sonorensis, 207
Heliothis virescens, 207
carrion assemblages,
Coleoptera, 805
spatial variability, 805
Cassida rubiginosa,
development, 876
reproduction, 876
celery looper,
baculoviruses, 131
navel orangeworm, 131
Cephenemyia trompe,
Hypoderma tarandi, 297
temperature, 297
Ceratitis capitata,
ecology, 1263
population fluctuations, 1263
Chironomidae,
aquatic, 215
colonization, 215
Choristoneura rosaceana,
apple, 684
larval sampling, 170
Rubus idaeus, 170
Trichogramma spp., 684
Christoneura occidentalis,
Araneae, 507
arboreal spiders, 507
Chrysomela scripta,
foliage chemistry, 1327
host plant resistance, 1327
Chrysomelidae,
Clytrinae, 223
development, 223
Chrysoperla carnea,
Coccinella septempunctata, 983
Coleomegilla maculata, 447, 983
Orius insidiosus, 447
Chrysoperla spp.,
augmentation, 455
Erythroneura spp., 455
Chrysoperla,
Bemisia, 815
predators, 815
citrus mealybug,
behavior, 978
life history 978
citrus red mite,
predaceous mite, 121
twospotted spider mite, 121
classical biological control,
Boreioglycaspis melaleucae, 366
Melaleuca quinquenervia, 366
clear-cutting,
deforestation, 21
forest fires, 21
Clytrinae,
Chrysomelidae, 223
development, 223
Coccinella septempunctata,
Chrysoperla carnea, 983
Coleomegilla maculata, 983
Coccinellidae,
agroecosystems, 797
Apbhidophagous, 4
habitat diversity, 797

sampling, 4
Coccygomimus disparis,
Lymantria dispar, 1442
parasitism, 1442
cold hardiness,
Musca domestica, 1124
overwintering, 661
Russian wheat aphid, 661
supercooling, 1124
cold shock,
Sopdoptera exigua, 1117
supercooling point, 1117
Coleomegilla maculata,
Chrysoperla carnea, 447, 983
Coccinella septempunctata, 983
Leptinotarsa decemlineata, 1270
Orius insidiosus, 447
reproduction, 1270
Coleophora laricella,
biological control, 703
population dynamics, 703
Coleoptera,
carrion assemblages, 805
fecundity, 1073
life cycle, 1040
Maladera matrida, 1040, 1073
spatial variability, 805
colonization,
aquatic, 215
Chironomidae, 215
community,
seasonal change, 178
Tenebrionidae, 178
Coniatus tamarisci,
biological control, 349
Tamarix, 349
Conophthorus ponderosae,
pine cones, 855
Pinus contorta, 855
conservation,
biological control, 1385
parasitoid behavior, 1385
conspecific,
Aedes aegypti, 1087
oviposition, 1087
coprophagy,
Acrididae, 1224
rubidium, 1224
Coptotermes formosanus,
agonism, 632
termite behavior, 632
corn rootworm,
Diabrotica barberi, 311
Diabrotica virgifera virgifera, 311
corn silk,
Diabrotica virgifera virgifera, 285, 1136
Electroantennogram, 285, 1136
Cotesia melanoscela,
biological control, 668
gypsy moth, 1155
larval parasitoid, 1155
Lymantria dispar, 668
Cotesia orobenae,
biology, 1354
Evergestis rimosalis, 1354
Cotesia plutellae,
Bacillus thuringiensis, 38
Plutella xylostella, 38
cotton,
arthropods, 1004
predation, 1004
cotton extrafloral nectaries,
Microplitis croceipes, 617
searching behavior, 617
Crambe abyssinica,
Plutella xylostella, 483
sampling, 483
Cryptophlebia illepida,
life table, 1291
Macadamia integrifolia, 1291
Cucumis melo,
bacterial wilt, 849
cantaloupe, 849
Cucurbitacins,
Acalymma vittatum, 672
antifeedant, 678
antiovipositant, 678
behavior, 1364
semiochemical baits, 1364
striped cucumber beetle, 672
cucurbits,
Acalymma vittatum, 580
bacterial wilt, 580
Culex annulirostris,
Culex molestus, 318

Culex annulirostris, (continued)
Pseudomonas vesicularis, 318
Culex molestus,
Culex annulirostris, 318
Pseudomonas vesicularis, 318
cultivated potato,
hairy nightshade, 61
Leptinotarsa decemlineata, 61
cultural control,
Delia platura, 1323
muskmelon, 1323
Curculio elephas,
development, 163
generalized linear model, 163
Cyclas formicarius,
dispersal, 272
eradication, 272
Cynoglossum officinale,
biological control, 357
Mogulones cruciger, 357

D

deforestation,
clear-cutting, 21
forest fires, 21
Delia antiqua,
Allium, 624
host-finding, 624
Delia platura,
cultural control, 1323
muskmelon, 1323
Delia radicum,
diapause, 84
pupal weight, 84
Dendroctonus frontalis,
biological control, 961
parasitoid, 961
density,
Epiphyas postvittana, 277
Tortricidae, 277
development model,
field validation, 46
ostrinia nubilalis, 46
development rate,
Leptinotarsa decemlineata, 655
Myiopharus doryphorae, 655
development,
Cassida rubiginosa, 876
Chrysomelidae, 223
Clytrinae, 223
Curculio elephas, 163
generalized linear model, 163
reproduction, 876
Diabrotica barberi,
corn rootworm, 311
Diabrotica virgifera virgifera, 311, 1208
fecundity, 1208
Diabrotica virgifera virgifera,
corn rootworm, 311
corn silk, 285, 1136
Diabrotica barberi, 311, 1208
Electroantennogram, 285, 1136
fecundity, 1208
host preferences, 1336
Zea mays, 1336
Diadegma armillata,
Yponomeuta cagnagellus, 933
Yponomeuta malinellus, 933
Diadegma insulare,
Brassicaceae, 114
nectar-collecting behavior, 114
diapause development,
spruce budworm, 307
temperature effect, 307
diapause,
Ageneotettix deorum, 906
Aulocara elliotti, 906
Delia radicum, 84
pupal weight, 84
Diaprepes abbreviatus,
Beauveria bassiana, 1173
Metarhizium anisopliae, 1173
Diatraea grandiosella,
host preference, 385
Trichogramma pretiosum, 385
disc equation,
functional response, 1
regression, 1
dispersal,
Cyclas formicarius, 272
eradication, 272
gregariousness, 946
Hippodamia convergens, 1079
mark-release-recapture, 1079
Perillus bioculatus, 946

distribution,
behavior, 1258
Caenocholax fenyesi, 1258
Diuraphis noxia,
biological control, 866, 989, 1398
ladybird beetle, 1398
odor, 989
predators, 866
diversity,
abundance, 1299
aphid parasitoid, 1299

E

eclosion,
Anthocharis scolymus, 572
pierid butterfly, 572
ecology,
Ceratitis capitata, 1263
Neodiprion lecontei, 1312
Pinus taeda, 1312
population fluctuations, 1263
Ectoparasitoid,
biological control, 1025
host location, 1025
egg hydration,
azalea lace bug, 1066
egg measurement, 1066
egg measurement,
azalea lace bug, 1066
egg hydration, 1066
egg parasitoid,
Lymantria dispar, 1276
Ooencyrtus kuvanae, 1276
eggs,
Plathypena scabra, 1482
predation, 1482
Electroantennogram,
corn silk, 285, 1136
Diabrotica virgifera virgifera, 285, 1136
Empoasca fabae,
alfalfa, 745
behavior, 754
intercropping, 745, 754
Encarsia,
Bemisia argentifolii, 1049
sampling, 1049
entomopathogenic nematodes,
Heterorhabditis marelatus, 465
strawberry root weevil, 465
Epiphyas postvittana,
density, 277
mating, 896
sex pheromone, 896
Tortricidae, 277
Epirrita autumnata,
larval density, 1096
larval performance, 1361
outbreak, 1096
sulphur dioxide, 1361
eradication,
Cyclas formicarius, 272
dispersal, 272
Eriborus terebrans,
biological control, 924
Ostrinia nubilalis, 924
Erythroneura spp.,
augmentation, 455
Chrysoperla spp., 455
Eurosta solidaginis,
bioenergetics, 1378
lipid content, 1378
Evergestis rimosalis,
biology, 1354
Cotesia orobenae, 1354
exotic species,
biological control, 373
invasions, 373
extraction rate,
Sinea confusa, 559
Zelus renardii, 559

F

family abundance,
Araneae, 497
ground-dwelling spiders, 497
fecundity,
Coleoptera, 1073
Diabrotica barberi, 1208
Diabrotica virgifera, 1208
Maladera matrida, 1073
field bindweed,
biological control, 966
Tyta luctuosa, 966
field movement,
Mayetiola destructor, 1247

field movement, *(continued)*
random diffusion, 1247
field validation,
development model, 46
ostrinia nubilalis, 46
filth flies,
biocontrol, 421
parasitoid, 421
flight activity,
bait traps, 1283
light traps, 1283
flight,
Mayetiola destructor, 327
wind, 327
foliage chemistry,
Chrysomela scripta, 1327
host plant resistance, 1327
foraging behavior,
Aphelinus asychis, 1452
interaction, 1452
forest fires,
clear-cutting, 21
deforestation, 21
forest insects,
herbivory, 1232
spatial variation, 1232
functional response,
disc equation, 1
regression, 1

G

generalized linear model,
Curculio elephas, 163
development, 163
grapes,
sampling, 142
spiders, 142
grasshopper outbreaks,
rangeland ecology, 1343
spatial analysis, 1343
grasshoppers,
Beauveria bassiana, 400
cannibalism, 789
juniper, 428
light, 400
mesquite, 428
population dynamics, 1056
rubidium, 789
spatial analysis, 1056
greenbugs,
Lysiphlebus testaceipes, 1167
parasitoids, 1167
gregariousness,
dispersal, 946
Perillus bioculatus, 946
ground beetles,
agriculture, 519
Carabidae, 519
ground-dwelling spiders,
Araneae, 497
family abundance, 497
gypsy moth,
arthropods, 1009
Cotesia melanoscela, 1155
larval parasitoid, 1155
tebufenozide, 1009

H

habitat diversity,
agroecosystems, 797
Coccinellidae, 797
Haematobia irritans,
Philonthus spp., 1240
predation, 1240
hairy nightshade,
cultivated potato, 61
Leptinotarsa decemlineata, 61
Helicoverpa zea,
Baculovirus heliothis, 1470
migration, 12,
nuclear polyhedrosis virus, 1461, 1470
Spodoptera exigua, 1461
trajectories, 12
Heliothis virescens,
Campoletis sonorensis, 207
Cardiochiles nigriceps 207
host chemicals, 101
host plants, 101
herbivory,
biological weed control, 439
forest insects, 1232
Lythrum salicaria, 439
spatial variation, 1232
Heterorhabditis marelatus,
entomopathogenic nematodes, 465
strawberry root weevil, 465

Hippodamia convergens,
dispersal, 1079
mark-release-recapture, 1079
Hirsutella thompsonii,
trapping, 256
Phyllocoptruta oleivora, 256
host chemicals,
Heliothis virescens, 101
host plants, 101
host location,
biological control, 1025
Ectoparasitoid, 1025
host plant resistance,
Chrysomela scripta, 1327
foliage chemistry, 1327
host plants,
Heliothis virescens, 101
host chemicals, 101
host preferences,
Diabrotica virgifera virgifera, 1336
Diatraea grandiosella, 385
Trichogramma pretiosum, 385
Zea mays, 1336
host resistance,
intraspecific variation, 552
pear psylla, 552
host-finding,
Allium, 624
Delia antiqua, 624
house flies,
parasitoid wasps, 410
pteromalids, 410
hyperparasitoids,
Aphidius rhopalosiphi, 545
overwintering, 545
Hypoderma tarandi,
Cephenemyia trompe, 297
temperature, 297

I

imported fire ants,
biological control, 1143
Solenopsis daguerrei, 1143
insecticides,
apple orchards, 763
Araneae, 763
reproduction, 489
spider mites, 489
insect-plant interaction,
plant resistance, 591
water stress, 591
insulating value,
boll weevil, 135
overwintering habitats, 135
integrodifference equation,
resource map, 473
spatially explicit population model, 473
interaction,
Aphelinus asychis, 1452
foraging behavior, 1452
intercropping,
alfalfa, 745
behavior, 754
Empoasca fabae, 745, 754
interpopulation variation,
nuclear polyhedrosis virus, 839
Trichoplusia ni, 839
intraspecific variation,
host resistance, 552
pear psylla, 552
invasions,
biological control, 373
exotic species, 373

J

juniper,
grasshoppers, 428
mesquite, 428

L

ladybird beetle,
biological control, 1398
Diuraphis noxia, 1398
larval density,
Epirrita autumnata, 1096
outbreak, 1096
larval parasitoid,
Cotesia melanoscela, 1155
gypsy moth, 1155
larval performance,
Epirrita autumnata, 1361
sulphur dioxide, 1361
larval predators,
Anopheles albimanus, 828
aquatic insects, 828
larval sampling,

larval sampling, *(continued)*
Choristoneura rosaceana, 170
Rubus idaeus, 170
leaf flushing,
potato leafhopper, 1091
red maple, 1091
leafroller,
Pandemis pyrusana, 1475
polymerase chain reaction, 1475
Lepidoptera,
cabbage, 642
C_6-aldehydes, 642
Malacosoma disstria, 882
nuclear polyhedrosis virus, 882
Leptinotarsa decemlineata,
adaptation to tomato, 67
Coleomegilla maculata, 1270
cultivated potato, 61
development rate, 655
hairy nightshade, 61
Lycopersicon esculentum,67
Myiopharus doryphorae, 655
Podisus maculiventris, 1183
predator, 1183
reproduction, 1270
Lespesia archippivora,
parasitism, 265
Spodoptera exigua, 265
life cycle,
Coleoptera, 1040
Maladera matrida, 1040
life history,
behavior, 978
citrus mealybug, 978
life table,
Cryptophlebia illepida, 1291
Macadamia integrifolia, 1291
light traps,
bait traps, 1283
flight activity, 1283
light,
Beauveria bassiana, 400
grasshoppers, 400
lipid content,
bioenergetics, 1378
Eurosta solidaginis, 1378
Lissorhoptus oryzophilus,
modeling, 1191
validation, 1191
Listronotus bonariensis,
Acremonium lolii, 416
Microctonus hyperodae, 416
Lycopersicon esculentum,
adaptation to tomato, 67
Leptinotarsa decemlineata, 67
Lymantria dispar,
biological control, 668
Coccygomimus disparis, 1442
Cotesia melanoscela, 668
egg parasitoid, 1276
Ooencyrtus kuvanae, 1276
parasitism, 1442
Lysiphlebus testaceipes,
Aphis gossypii, 736
greenbugs, 1167
parasitoids, 1167
sampling, 736
Lythrum salicaria,
Aphis gossypii, 736
herbivory, 439

M

Macadamia integrifolia,
Cryptophlebia illepida, 1291
life table, 1291
macroinvertebrates,
New York, 1016
wetlands, 1016
maize,
Angoumois grain moth, 229
movement, 229
Malacosoma disstria,
Lepidoptera, 882
nuclear polyhedrosis virus, 882
Maladera matrida,
Coleoptera, 1040, 1073
fecundity, 1073
life cycle, 1040
management,
Bemisia argentifolii, 995
sampling 995
manure ecology,
biocontrol of pest flies, 191
Philonthini, 191
mark-release-recapture,
dispersal, 1079

Hippodamia convergens, 1079
mating disruption,
Pectinophora gossypiella, 1105
sex pheromone, 1105
mating,
Epiphyas postvittana, 896
sex pheromone, 896
Mayetiola destructor,
field movement, 1247
flight, 327
random diffusion, 1247
wind, 327
Melaleuca quinquenervia,
Boreioglycaspis melaleucae, 366
classical biological control, 366
Melanoplus sanguinipes,
California grasslands, 234
Nasella pulchra, 234
mesquite,
grasshoppers, 428
juniper, 428
Metarhizium anisopliae,
Beauveria bassiana, 1173
Diaprepes abbreviatus, 1173
Metzneria paucipunctella,
biological control, 1131
supercooling, 1131
Microctonus hyperodae,
Acremonium lolii, 416
Listronotus bonariensis, 416
Microplitis croceipes,
cotton extrafloral nectaries, 617
searching behavior, 617
Microtonus,
biological control, 694
nontarget host range, 694
migration,
Helicoverpa zea, 12
trajectories, 12
Mindarus abietinus,
Abies balsamea, 1393
predators, 1393
Minois dryas,
reproductive diapause, 201
summer diapause, 201
modeling,
Baris coerulescens, 1031
Lissorhoptus oryzophilus, 1191
Picea spp., 888
Pissodes strobi, 888
temperature, 1031
validation, 1191
Mogulones cruciger,
biological control, 357
Cynoglossum officinale, 357
mortality,
Saissetia oleae, 1202
spatial pattern, 1202
movement,
Angoumois grain moth, 229
maize, 229
Musca domestica,
cold hardiness, 1124
supercooling, 1124
muskmelon,
cultural control, 1323
Delia platura, 1323
Myiopharus doryphorae,
development rate, 655
Leptinotarsa decemlineata, 655
Myzus persicae,
probing behavior, 537
virus transmission, 537

N

Nasella pulchra,
California grasslands, 234
Melanoplus sanguinipes, 234
natural enemies,
Bacillus thuringiensis, 939
bollworm, 939
Naupactus spp.,
sweet potato, 727
whitefringed beetle, 727
navel orangeworm,
baculoviruses, 131
celery looper, 131
nectar-collecting behavior,
Brassicaceae, 114
Diadegma insulare, 114
Nematoda,
Noctuidonema guyanense, 585
Spodoptera exigua, 585
Neodiplogrammus quadrivittatus,
Sesbania, 343
Trichapion lativentre, 343

Neodiprion lecontei,
ecology, 1312
Pinus taeda, 1312
Neoseiulus fallacis,
biological control, 859
Tetranychus urticae, 859
New York,
macroinvertebrates, 1016
wetlands, 1016
nitrogen,
arthropod, 31
tillage, 31
Noctuidonema guyanense,
Nematoda, 585
Spodoptera exigua, 585
nontarget host range,
biological control, 694
Microtonus, 694
nuclear polyhedrosis virus,
Anticarsia gemmatalis, 973
Baculovirus heliothis, 1470
biological control, 973
Helicoverpa zea, 1461, 1470
interpopulation variation, 839
Lepidoptera, 882
Malacosoma disstria 882
Spodoptera exigua, 1461
Trichoplusia ni, 839

O

odor,
biological control, 989
Diuraphis noxia, 989
Ooencyrtus kuvanae,
egg parasitoid, 1276
Lymantria dispar, 1276
Orius insidiosus,
Chrysoperla carnea, 447
Coleomegilla maculata, 447
Ostrinia nubilalis,
biological control, 924
development model,46
Eriborus terebrans, 924
field validation, 46
outbreak,
Epirrita autumnata, 1096
larval density, 1096
ovarian cycle,
phenology, 1373
Proformica longiseta, 1373
overwintering habitats,
boll weevil, 135
insulating value, 135
overwintering,
Aphidius rhopalosiphi, 545
cold hardiness, 661
hyperparasitoids, 545
Russian wheat aphid, 661
oviposition,
Aedes aegypti, 920, 1087
conspecific, 1087
Plagiorchis elegans, 920
Pseudoplusia includens, 76
soybean, 76

P

Pandemis pyrusana,
leafroller, 1475
polymerase chain reaction, 1475
Panonychus ulmi,
Amblyseius andersoni, 391
Typhlodromus pyri, 391
parasitism,
Coccygomimus disparis, 1442
Lespesia archippivora, 265
Lymantria dispar, 1442
Spodoptera exigua, 265
parasitoid behavior,
biological control, 1385
conservation, 1385
parasitoid wasps,
house flies, 410
pteromalids, 410
parasitoid,
biocontrol, 421
filth flies, 421
parasitoid,
biological control, 961
Dendroctonus frontalis, 961
parasitoids,
greenbugs, 1167
Lysiphlebus testaceipes, 1167
pear psylla,
intraspecific variation, 552
host resistance, 552
Pectinophora gossypiella,

mating disruption, 1105
sex pheromone, 1105
Perillus bioculatus,
dispersal, 946
gregariousness, 946
phenology,
ovarian cycle, 1373
Proformica longiseta, 1373
Philonthini,
biocontrol of pest flies, 191
manure ecology, 191
Philonthus spp.,
Haematobia irritans, 1240
predation, 1240
Phyllocoptruta oleivora,
Hirsutella thompsonii, 256
trapping, 256
Picea spp.,
modeling, 888
Pissodes strobi, 888,
pierid butterfly,
Anthocharis scolymus, 572
eclosion, 572
pine cones,
Conophthorus ponderosae, 855
Pinus contorta, 855
Pinus contorta,
Conophthorus ponderosae, 855
pine cones, 855
Pinus taeda,
ecology, 1312
Neodiprion lecontei, 1312
Pissodes strobi,
modeling, 888
Picea spp., 888
Plagiorchis elegans,
Aedes aegypti, 920
oviposition, 920
plant resistance,
insect-plant interaction, 591
water stress, 591
Plathypena scabra,
eggs, 1482
predation, 1482
Plutella xylostella,
Bacillus thuringiensis, 38
Cotesia plutellae, 38
Crambe abyssinica, 483
sampling, 483
Podisus maculiventris,
Leptinotarsa decemlineata, 1183
predator, 1183
pollen,
Acer saccharum, 566
Taeniothrips inconsequens, 566
polymerase chain reaction,
leafroller, 1475
Pandemis pyrusana, 1475
Popillia japonica,
Acer spp., 334
aggregation 334
population dynamics,
Aphis craccivora, 250
biological control, 703
Coleophora laricella, 703
grasshoppers, 1056
spatial analysis, 1056
Vigna unguiculata, 250
population ecology,
alfalfa, 241
whitefly, 241
population fluctuations,
Ceratitis capitata, 1263
ecology, 1263
potato leafhopper,
leaf flushing, 1091
red maple, 1091
predation, 1004
cotton, 1004
predaceous mite,
citrus red mite, 121
twospotted spider mite, 121
predation,
eggs, 1482
Haematobia irritans, 1240
Philonthus spp., 1240
Plathypena scabra, 1482
predator(s),
Abies balsamea, 1393
Bemisia, 815
biological control, 866
Chrysoperla, 815
Diuraphis noxia, 866
Leptinotarsa decemlineata, 1183
Mindarus abietinus, 1393
Podisus maculiventris, 1183

probing behavior,
Myzus persicae, 537
virus transmission, 537
Proformica longiseta,
ovarian cycle, 1373
phenology, 1373
Prostephanus truncatus,
biological control, 1405
Teretriosoma nigrescens, 1405
Pseudacteon,
biocontrol, 716
biological control, 1149
Solenopsis, 716, 1149
Pseudomonas vesicularis,
Culex annulirostris, 318
Culex molestus, 318
Pseudoplusia includens,
oviposition, 76
soybean, 76
pteromalids,
house flies, 410
parasitoid wasps, 410
pupal weight,
Delia radicum, 84
diapause, 84
pyrethroid resistance,
bioassays, 1424
Typhlodromus pyri, 1424

R

random diffusion,
field movement, 1247
Mayetiola destructor, 1247
rangeland ecology,
grasshopper outbreaks, 1343
spatial analysis, 1343
recombinants,
Autographa californica, 955
baculovirus, 955
red maple,
leaf flushing, 1091
potato leafhopper, 1091
regression,
disc equation, 1
functional response, 1
reproduction,
Cassida rubiginosa, 876
Coleomegilla maculata, 1270
development, 876
insecticides, 489
Leptinotarsa decemlineata, 1270
spider mites, 489
reproductive diapause,
Minois dryas, 201
summer diapause, 201
reproductive status,
root weevils, 91
semiochemicals, 91
resource map,
integrodifference equation, 473
spatially explicit population model, 473
richness estimation,
Appalachian spiders, 150
sampling intensity, 150
root weevils,
reproductive status, 91
semiochemicals, 91
rubidium,
Acrididae, 1224
cannibalism, 789
coprophagy, 1224
grasshoppers, 789
Rubus idaeus,
Choristoneura rosaceana, 170
larval sampling, 170
Russian wheat aphid,
cold hardiness, 661
overwintering, 661

S

Saissetia oleae,
mortality, 1202
spatial pattern, 1202
sampling intensity,
Appalachian spiders, 150
richness estimation, 150
sampling statistics,
stored product, 1213
traps, 1213
sampling,
Apbhidophagous, 4
Aphis gossypii, 736
Bemisia argentifolii, 777, 995, 1049
Bemisia tabaci, 777
coccinellidae, 4
Crambe abyssinica, 483

Encarsia, 1049
grapes, 142
Lysiphlebus testaceipes, 736
management, 995
Plutella xylostella, 483
spiders, 142
searching behavior,
cotton extrafloral nectaries, 617
Microplitis croceipes, 617
seasonal change,
community, 178
Tenebrionidae, 178
semiochemical baits,
behavior, 1364
cucurbitacins, 1364
semiochemicals,
reproductive status, 91
root weevils, 91
Sesbania,
Neodiplogrammus quadrivittatus, 343
Trichapion lativentre, 343
sex pheromone,
Epiphyas postvittana, 896
mating, 896
mating disruption, 1105
Pectinophora gossypiella, 1105
silverleaf whitefly,
Bemisia argentifolii, 603
Bermisia tabaci, 603
Sinea confusa,
extraction rate, 559
Zelus renardii, 559
Sitobion avenae,
Triticum aestivum, 638
Triticum urartu, 638
Solenopsis daguerrei,
biological control, 1143
imported fire ants, 1143
Solenopsis,
biological control, 1149
biocontrol, 716
Pseudacteon, 716, 1149
Sopdoptera exigua,
cold shock, 1117
supercooling point, 1117
soybean,
oviposition, 76
Pseudoplusia includens, 76
spatial analysis,
grasshoppers, 1056
grasshopper outbreaks, 1343
population dynamics, 1056
rangeland ecology, 1343
spatial pattern,
mortality, 1202
Saissetia oleae, 1202
spatial variability,
carrion assemblages, 805
Coleoptera, 805
spatial variation,
forest insects, 1232
herbivory, 1232
spatially explicit population model,
integrodifference equation, 473
resource map, 473
spider mites,
insecticides, 489
reproduction, 489
spiders,
grapes, 142
sampling, 142
Spodoptera exigua,
Helicoverpa zea, 1461
Lespesia archippivora, 265
Nematoda, 585
Noctuidonema guyanense, 585
nuclear polyhedrosis virus, 1461
parasitism, 265
spruce budworm,
diapause development, 307
temperature effect, 307
stored product,
sampling statistics, 1213
traps, 1213
strawberry root weevil,
entomopathogenic nematodes, 465
Heterorhabditis marelatus, 465
striped cucumber beetle,
Cucurbitacins, 672
sulphur dioxide,
Epirrita autumnata, 1361
larval performance, 1361
summer diapause,
Minois dryas, 201
reproductive diapause, 201
supercooling point,

supercooling point, *(continued)*
cold shock, 1117
Sopdoptera exigua, 1117
supercooling,
biological control, 1131
cold hardiness, 1124
Metzneria paucipunctella, 1131
Musca domestica, 1124
sweet potato,
Naupactus spp., 727
whitefringed beetle, 727

T

Taeniothrips inconsequens,
Acer saccharum, 566
pollen, 566
Tamarix, 349
biological control, 349
tebufenozide,
arthropods, 1009
gypsy moth, 1009
temperature effect,
diapause development, 307
spruce budworm, 307
temperature,
Amblyseius cucumeris, 106
Baris coerulescens, 1031
Cephenemyia trompe, 297
Hypoderma tarandi, 297
modeling, 1031
vapor pressure deficit, 106
Tenebrionidae,
community, 178
seasonal change, 178
Teretriosoma nigrescens,
biological control, 1405
Prostephanus truncatus, 1405
termite behavior,
agonism, 632
Coptotermes formosanus, 632
Tetranychus urticae,
biological control, 859
Neoseiulus fallacis, 859
tillage,
arthropod, 31
nitrogen, 31
Tortricidae,
density, 277
Epiphyas postvittana, 277
trajectories,
Helicoverpa zea, 12
migration, 12
trapping,
Hirsutella thompsonii, 256
Phyllocoptruta oleivora, 256
traps,
sampling statistics, 1213
stored product, 1213
Trichapion lativentre,
Sesbania, 343
Neodiplogrammus quadrivittatus, 343
Trichogramma brassicae,
biological control intercrops, 433
Zea mays, 433
Trichogramma pretiosum,
Diatraea grandiosella, 385
host preference 385
Trichogramma spp.,
apple, 684
Choristoneura rosaceana, 684
Trichoplusia ni,
interpopulation variation, 839
nuclear polyhedrosis virus, 839
Triticum aestivum,
Sitobion avenae, 638
Triticum urartu, 638
Triticum urartu,
Sitobion avenae, 638
Triticum aestivum, 638
twospotted spider mite,
citrus red mite, 121
predaceous mite, 121
Typhlodromus pyri,
Amblyseius andersoni, 391
Panonychus ulmi, 391
Typhlodromus pyri,
bioassays, 1424
pyrethroid resistance, 1424
Tyta luctuosa,
biological control, 966
field bindweed, 966

U, V

validation,
Lissorhoptus oryzophilus, 1191
modeling, 1191

vapor pressure deficit,
Amblyseius cucumeris, 106
temperature, 106
Vigna unguiculata,
Aphis craccivora, 250
population dynamics, 250
virus transmission,
Myzus persicae, 537
probing behavior, 537

W

walking speed,
Aphelinus asychis, 1416
biological control, 1416
water stress,
insect-plant interaction, 591
plant resistance, 591
wetlands,
macroinvertebrates, 1016
New York, 1016
whitefly,
alfalfa, 241
population ecology, 241
whitefringed beetle,
Naupactus spp., 727
sweet potato, 727
wind,
flight, 327
Mayetiola destructor, 327

X, Y

Yponomeuta cagnagellus,
Diadegma armillata, 933
Yponomeuta malinellus, 933
Yponomeuta malinellus,
Diadegma armillata, 933
Yponomeuta cagnagellus, 933

Z

Zea mays,
biological control intercrops, 433
Diabrotica virgifera virgifera, 1336
host preferences, 1336
Trichogramma brassicae, 433
Zelus renardii,
extraction rate, 559
Sinea confusa, 559